

## AFSNIT 1

# Camlock koblinger

### Indhold

Camlock kobling type A	3
Camlock kobling type B	4
Camlock kobling type C	5
Camlock kobling type D	6
Camlock kobling type E	7
Camlock kobling type F	8
Camlock støvdæksel type DC	9
Camlock støvprop type DP	10
Camlock pakninger	11



# Camlock kobling type A

Camlock kobling type A, HAN med indvendigt rørgvind.

varianter



Produkt nr.	Materiale	Gevind dimensioner "
SNAP0302	Polypropylen	1/2
SNAP0304	Polypropylen	3/4
SNAP0306	Polypropylen	1
SNAP0308	Polypropylen	1 1/4
SNAP0310	Polypropylen	1 1/2
SNAP0315	Polypropylen	2
SNAP0320	Polypropylen	3
SNAP1305	Aluminium	1/2
SNAP1315	Aluminium	3/4
SNAP1320	Aluminium	1
SNAP1325	Aluminium	1 1/4
SNAP1330	Aluminium	1 1/2
SNAP1335	Aluminium	2
SNAP1340	Aluminium	2 1/2
SNAP1345	Aluminium	3
SNAP1350	Aluminium	4
SNAP1355	Aluminium	5
SNAP1360	Aluminium	6
SNAP2305	Rustfrit/syrefast stål	1/2
SNAP2315	Rustfrit/syrefast stål	3/4
SNAP2320	Rustfrit/syrefast stål	1
SNAP2325	Rustfrit/syrefast stål	1 1/4
SNAP2330	Rustfrit/syrefast stål	1 1/2
SNAP2335	Rustfrit/syrefast stål	2
SNAP2340	Rustfrit/syrefast stål	2 1/2
SNAP2345	Rustfrit/syrefast stål	3
SNAP2350	Rustfrit/syrefast stål	4
SNAP2355	Rustfrit/syrefast stål	5
SNAP2360	Rustfrit/syrefast stål	6
SNAP3305	Messing	1/2
SNAP3315	Messing	3/4
SNAP3320	Messing	1
SNAP3325	Messing	1 1/4
SNAP3330	Messing	1 1/2
SNAP3335	Messing	2
SNAP3340	Messing	2 1/2
SNAP3345	Messing	3
SNAP3350	Messing	4
SNAP3355	Messing	5
SNAP3360	Messing	6

# Camlock kobling type B

Camlock kobling type B, HUN med udvendigt rørgvind.

Leveres med pakning i NBR gummi.



Produkt nr.	Materiale	Gevind dim. "
SNAP0102	Polypropylen	½
SNAP0104	Polypropylen	¾
SNAP0106	Polypropylen	1
SNAP0108	Polypropylen	1 ¼
SNAP0110	Polypropylen	1 ½
SNAP0115	Polypropylen	2
SNAP0120	Polypropylen	3
SNAP1105	Aluminium	½
SNAP1115	Aluminium	¾
SNAP1120	Aluminium	1
SNAP1125	Aluminium	1 ¼
SNAP1130	Aluminium	1 ½
SNAP1135	Aluminium	2
SNAP1140	Aluminium	2 ½
SNAP1145	Aluminium	3
SNAP1150	Aluminium	4
SNAP1155	Aluminium	5
SNAP1160	Aluminium	6
SNAP2105	Rustfrit/syrefast stål	½
SNAP2115	Rustfrit/syrefast stål	¾
SNAP2120	Rustfrit/syrefast stål	1
SNAP2125	Rustfrit/syrefast stål	1 ¼
SNAP2130	Rustfrit/syrefast stål	1 ½
SNAP2135	Rustfrit/syrefast stål	2
SNAP2140	Rustfrit/syrefast stål	2 ½
SNAP2145	Rustfrit/syrefast stål	3
SNAP2150	Rustfrit/syrefast stål	4
SNAP2155	Rustfrit/syrefast stål	5
SNAP2160	Rustfrit/syrefast stål	6
SNAP3105	Messing	½
SNAP3115	Messing	¾
SNAP3120	Messing	1
SNAP3125	Messing	1 ¼
SNAP3130	Messing	1 ½
SNAP3135	Messing	2
SNAP3140	Messing	2 ½
SNAP3145	Messing	3
SNAP3150	Messing	4
SNAP3155	Messing	5
SNAP3160	Messing	6

09.07.20

# Camlock kobling type C

Camlock kobling type C, HUN med slangestuds.

Leveres med pakning i NBR gummi.



Produkt nr.	Materiale	Studs "
SNAP0140	Polypropylen	½
SNAP0145	Polypropylen	¾
SNAP0150	Polypropylen	1
SNAP0155	Polypropylen	1 ¼
SNAP0160	Polypropylen	1 ½
SNAP0165	Polypropylen	2
SNAP0170	Polypropylen	3
SNAP1505	Aluminium	½
SNAP1510	Aluminium	¾
SNAP1515	Aluminium	1
SNAP1520	Aluminium	1 ¼
SNAP1525	Aluminium	1 ½
SNAP1530	Aluminium	2
SNAP1535	Aluminium	2 ½
SNAP1540	Aluminium	3
SNAP1545	Aluminium	4
SNAP1555	Aluminium	5
SNAP1560	Aluminium	6
SNAP2505	Rustfrit/syrefast stål	½
SNAP2510	Rustfrit/syrefast stål	¾
SNAP2515	Rustfrit/syrefast stål	1
SNAP2520	Rustfrit/syrefast stål	1 ¼
SNAP2525	Rustfrit/syrefast stål	1 ½
SNAP2530	Rustfrit/syrefast stål	2
SNAP2535	Rustfrit/syrefast stål	2 ½
SNAP2540	Rustfrit/syrefast stål	3
SNAP2545	Rustfrit/syrefast stål	4
SNAP2550	Rustfrit/syrefast stål	5
SNAP2555	Rustfrit/syrefast stål	6
SNAP3505	Messing	½
SNAP3510	Messing	¾
SNAP3515	Messing	1
SNAP3520	Messing	1 ¼
SNAP3525	Messing	1 ½
SNAP3530	Messing	2
SNAP3535	Messing	2 ½
SNAP3540	Messing	3
SNAP3545	Messing	4
SNAP3550	Messing	5
SNAP3560	Messing	6

# Camlock kobling type D

Camlock kobling type D, HUN med indvendigt rørgvind.

Leveres med pakning i NBR gummi.



## Varianter

Produkt nr.	Materiale	Gevind dim. "
SNAP0202	Polypropylen	1/2
SNAP0204	Polypropylen	3/4
SNAP0206	Polypropylen	1
SNAP0208	Polypropylen	1 1/4
SNAP0210	Polypropylen	1 1/2
SNAP0215	Polypropylen	2
SNAP0220	Polypropylen	3
SNAP1205	Aluminium	1/2
SNAP1215	Aluminium	3/4
SNAP1220	Aluminium	1
SNAP1225	Aluminium	1 1/4
SNAP1230	Aluminium	1 1/2
SNAP1235	Aluminium	2
SNAP1240	Aluminium	2 1/2
SNAP1245	Aluminium	3
SNAP1250	Aluminium	4
SNAP1255	Aluminium	5
SNAP1260	Aluminium	6
SNAP2205	Rustfrit/syrefast stål	1/2
SNAP2215	Rustfrit/syrefast stål	3/4
SNAP2220	Rustfrit/syrefast stål	1
SNAP2225	Rustfrit/syrefast stål	1 1/4
SNAP2230	Rustfrit/syrefast stål	1 1/2
SNAP2235	Rustfrit/syrefast stål	2
SNAP2240	Rustfrit/syrefast stål	2 1/2
SNAP2245	Rustfrit/syrefast stål	3
SNAP2250	Rustfrit/syrefast stål	4
SNAP2255	Rustfrit/syrefast stål	5
SNAP2260	Rustfrit/syrefast stål	6
SNAP3205	Messing	1/2
SNAP3215	Messing	3/4
SNAP3220	Messing	1
SNAP3225	Messing	1 1/4
SNAP3230	Messing	1 1/2
SNAP3235	Messing	2
SNAP3240	Messing	2 1/2
SNAP3245	Messing	3
SNAP3250	Messing	4
SNAP3255	Messing	5
SNAP3260	Messing	6

# Camlock kobling type E

Camlock kobling type E, HAN med slangestuds.



## Varianter

Produkt nr.	Materiale	Studs "
SNAP0340	Polypropylen	1/2
SNAP0345	Polypropylen	3/4
SNAP0350	Polypropylen	1
SNAP0355	Polypropylen	1 1/4
SNAP0360	Polypropylen	1 1/2
SNAP0365	Polypropylen	2
SNAP0370	Polypropylen	3
SNAP1605	Aluminium	1/2
SNAP1610	Aluminium	3/4
SNAP1615	Aluminium	1
SNAP1620	Aluminium	1 1/4
SNAP1625	Aluminium	1 1/2
SNAP1630	Aluminium	2
SNAP1635	Aluminium	2 1/2
SNAP1640	Aluminium	3
SNAP1645	Aluminium	4
SNAP1650	Aluminium	5
SNAP1655	Aluminium	6
SNAP2605	Rustfrit/syrefast stål	1/2
SNAP2610	Rustfrit/syrefast stål	3/4
SNAP2615	Rustfrit/syrefast stål	1
SNAP2620	Rustfrit/syrefast stål	1 1/4
SNAP2625	Rustfrit/syrefast stål	1 1/2
SNAP2630	Rustfrit/syrefast stål	2
SNAP2635	Rustfrit/syrefast stål	2 1/2
SNAP2640	Rustfrit/syrefast stål	3
SNAP2645	Rustfrit/syrefast stål	4
SNAP2650	Rustfrit/syrefast stål	5
SNAP2655	Rustfrit/syrefast stål	6
SNAP3605	Messing	1/2
SNAP3610	Messing	3/4
SNAP3615	Messing	1
SNAP3620	Messing	1 1/4
SNAP3625	Messing	1 1/2
SNAP3630	Messing	2
SNAP3635	Messing	2 1/2
SNAP3640	Messing	3
SNAP3645	Messing	4
SNAP3650	Messing	5
SNAP3655	Messing	6

# Camlock kobling type F

Camlock kobling type F, HAN med udvendigt rørgvind.

Varianter



Produkt nr.	Materiale	Gevind dim. "
SNAP0402	Polypropylen	½
SNAP0404	Polypropylen	¾
SNAP0406	Polypropylen	1
SNAP0407	Polypropylen	1 ¼
SNAP0410	Polypropylen	1 ½
SNAP0415	Polypropylen	2
SNAP0420	Polypropylen	3
SNAP1405	Aluminium	½
SNAP1415	Aluminium	¾
SNAP1420	Aluminium	1
SNAP1425	Aluminium	1 ¼
SNAP1430	Aluminium	1 ½
SNAP1435	Aluminium	2
SNAP1440	Aluminium	2 ½
SNAP1445	Aluminium	3
SNAP1450	Aluminium	4
SNAP1455	Aluminium	5
SNAP1460	Aluminium	6
SNAP2405	Rustfrit/syrefast stål	½
SNAP2415	Rustfrit/syrefast stål	¾
SNAP2420	Rustfrit/syrefast stål	1
SNAP2425	Rustfrit/syrefast stål	1 ¼
SNAP2430	Rustfrit/syrefast stål	1 ½
SNAP2435	Rustfrit/syrefast stål	2
SNAP2440	Rustfrit/syrefast stål	2 ½
SNAP2445	Rustfrit/syrefast stål	3
SNAP2450	Rustfrit/syrefast stål	4
SNAP2455	Rustfrit/syrefast stål	5
SNAP2460	Rustfrit/syrefast stål	6
SNAP3405	Messing	½
SNAP3415	Messing	¾
SNAP3420	Messing	1
SNAP3425	Messing	1 ¼
SNAP3430	Messing	1 ½
SNAP3435	Messing	2
SNAP3440	Messing	2 ½
SNAP3445	Messing	3
SNAP3450	Messing	4
SNAP3455	Messing	5
SNAP3460	Messing	6

09.07.20



# Camlock støvdæksel type DC

Camlock støvdæksel.  
Leveres med pakning i NBR gummi.

Varianter



Produkt nr.	Materiale	Type "
SNAP0240	Polypropylen	½
SNAP0245	Polypropylen	¾
SNAP0250	Polypropylen	1
SNAP0255	Polypropylen	1 ¼
SNAP0260	Polypropylen	1 ½
SNAP0265	Polypropylen	2
SNAP0270	Polypropylen	3
SNAP1705	Aluminium	½
SNAP1710	Aluminium	¾
SNAP1715	Aluminium	1
SNAP1720	Aluminium	1 ¼
SNAP1725	Aluminium	1 ½
SNAP1730	Aluminium	2
SNAP1735	Aluminium	2 ½
SNAP1740	Aluminium	3
SNAP1745	Aluminium	4
SNAP1750	Aluminium	5
SNAP1755	Aluminium	6
SNAP2705	Rustfrit/syrefast stål	½
SNAP2710	Rustfrit/syrefast stål	¾
SNAP2715	Rustfrit/syrefast stål	1
SNAP2720	Rustfrit/syrefast stål	1 ¼
SNAP2725	Rustfrit/syrefast stål	1 ½
SNAP2730	Rustfrit/syrefast stål	2
SNAP2735	Rustfrit/syrefast stål	2 ½
SNAP2740	Rustfrit/syrefast stål	3
SNAP2745	Rustfrit/syrefast stål	4
SNAP2750	Rustfrit/syrefast stål	5
SNAP2755	Rustfrit/syrefast stål	6
SNAP3705	Messing	½
SNAP3710	Messing	¾
SNAP3715	Messing	1
SNAP3720	Messing	1 ¼
SNAP3725	Messing	1 ½
SNAP3730	Messing	2
SNAP3735	Messing	2 ½
SNAP3740	Messing	3
SNAP3745	Messing	4

# Camlock støvprop type DP

## Varianter



Produkt nr.	Materiale	Type ”
SNAP0440	Polypropylen	½
SNAP0445	Polypropylen	¾
SNAP0450	Polypropylen	1
SNAP0460	Polypropylen	1 ½
SNAP0465	Polypropylen	2
SNAP0470	Polypropylen	3
SNAP1805	Aluminium	½
SNAP1810	Aluminium	¾
SNAP1815	Aluminium	1
SNAP1820	Aluminium	1 ¼
SNAP1825	Aluminium	1 ½
SNAP1830	Aluminium	2
SNAP1835	Aluminium	2 ½
SNAP1840	Aluminium	3
SNAP1845	Aluminium	4
SNAP1850	Aluminium	5
SNAP1855	Aluminium	6
SNAP2805	Rustfrit/syrefast stål	½
SNAP2810	Rustfrit/syrefast stål	¾
SNAP2815	Rustfrit/syrefast stål	1
SNAP2820	Rustfrit/syrefast stål	1 ¼
SNAP2825	Rustfrit/syrefast stål	1 ½
SNAP2830	Rustfrit/syrefast stål	2
SNAP2835	Rustfrit/syrefast stål	2 ½
SNAP2840	Rustfrit/syrefast stål	3
SNAP2845	Rustfrit/syrefast stål	4
SNAP2850	Rustfrit/syrefast stål	5
SNAP2855	Rustfrit/syrefast stål	6
SNAP3805	Messing	½
SNAP3810	Messing	¾
SNAP3815	Messing	1
SNAP3820	Messing	1 ¼
SNAP3825	Messing	1 ½
SNAP3830	Messing	2
SNAP3835	Messing	2 ½
SNAP3840	Messing	3
SNAP3845	Messing	4
SNAP3850	Messing	5
SNAP3855	Messing	6

# Camlock pakninger



## Varianter

Produkt nr.	Materiale	Type "	Dimensioner mm
SNAPB012	NBR	½	∅26 x 15 x 3,5
SNAPB019	NBR	¾	∅35 x 22 x 5,5
SNAPB025	NBR	1	∅40 x 27 x 6,4
SNAPB032	NBR	1 ¼	∅50 x 35 x 6,4
SNAPB038	NBR	1 ½	∅56 x 41 x 6,4
SNAPB050	NBR	2	∅67 x 51 x 6,4
SNAPB065	NBR	2 ½	∅80 x 61 x 6,4
SNAPB075	NBR	3	∅95 x 76 x 6,4
SNAPB100	NBR	4	∅124 x 102 x 6,4
SNAPB125	NBR	5	∅150 x 124 x 6,4
SNAPB150	NBR	6	∅180 x 152 x 6,4
SNAPV012	Viton	½	∅26 x 15 x 3,5
SNAPV019	Viton	¾	∅35 x 22 x 5,5
SNAPV025	Viton	1	∅40 x 27 x 6,4
SNAPV032	Viton	1 ¼	∅50 x 35 x 6,4
SNAPV038	Viton	1 ½	∅56 x 41 x 6,4
SNAPV050	Viton	2	∅67 x 51 x 6,4
SNAPV065	Viton	2 ½	∅80 x 61 x 6,4
SNAPV075	Viton	3	∅95 x 76 x 6,4
SNAPV100	Viton	4	∅124 x 102 x 6,4
SNAPV125	Viton	5	∅150 x 124 x 6,4
SNAPV150	Viton	6	∅180 x 152 x 6,4
SNAPE012	EPDM	½"	∅26 x 15 x 3,5
SNAPE019	EPDM	¾"	∅35 x 22 x 5,5
SNAPE025	EPDM	1"	∅40 x 27 x 6,4
SNAPE032	EPDM	1 ¼"	∅50 x 35 x 6,4
SNAPE038	EPDM	1 ½"	∅56 x 41 x 6,4
SNAPE050	EPDM	2"	∅67 x 51 x 6,4